

# Delock USB Type-C<sup>™</sup> adapter for a VGA, DVI, HDMI or DisplayPort monitor

# Description

This adapter by Delock is a perfect companion when travelling or for presentations due to its four different video ports. AVGA, DVI, HDMI or DisplayPort monitor can be connected to a computer with USB- $C^{TM}$  interface and DisplayPort alternate mode support. In addition, the adapter can also be operated on a Thunderbolt<sup>TM</sup> 3 interface. Only one monitor can be used on the adapter.



#### Item no. 63129

EAN: 4043619631292 Country of origin: China Package: Retail Box

# **Technical details**

- Connectors:
  - 1 x USB Type-C<sup>™</sup> male >
  - 1 x VGA female
  - 1 x DVI 24+5 female
  - 1 x HDMI female
  - 1 x DisplayPort 20 pin female
- DisplayPort 1.2 and High Speed HDMI specification
- DVI-D (Single Link), VGA not wired
- Only 1 monitor usable with the adapter
- Resolution: DisplayPort and HDMI up to 3840 x 2160 @ 60 Hz DVI up to 1920 x 1200 @ 60 Hz
  VGA up to 1920 x 1080 @ 60 Hz (depending on the system and the connected hardware)
- Power consumption: max. 1 W
- Cable length without connectors: ca. 10 cm
- Colour: black



# System requirements

- Android 10.0 or above
- Chrome OS
- iPad Pro (3rd Generation) or above
- Linux Kernel 5.8.0 or above
- Mac OS 10.15.7 or above
- Windows 8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt<sup>™</sup> 3 port

# Package content

• Adapter USB-C™ to VGA / HDMI / DVI / DisplayPort

#### Images





## General

| Chrome OS                   |
|-----------------------------|
| Linux Kernel 5.8.0 or above |
| Mac OS 10.15.7 or above     |
| Windows 10 32-Bit           |
| Windows 10 64-Bit           |
| Windows 10 Mobile           |
| Windows 8.1 32-Bit          |
| Windows 8.1 64-Bit          |
| iPad Pro (2018)             |
| Android 10.0 or above       |
|                             |

#### Interface

| Output: | 1 x DVI-I 24+5 female<br>1 x DisplayPort female<br>1 x HDMI-A female<br>1 x VGA 15 pin female |
|---------|---|
| Input:  | 1 x USB Type-C™ male  |

# **Technical characteristics**

| Maximum screen resolution: | 3840 x 2160 @ 60 Hz |
|----------------------------|---------------------|
|                            | 1920 x 1200 @ 60 Hz |
|                            | 1920 x 1080 @ 60 Hz |

# **Physical characteristics**

| Colour: |
|---------|
|---------|