

Delock USB Type-C[™] Adapter to VGA (DP Alt Mode) - Key Chain

Description

This adapter by Delock is suitable for the connection of a VGA monitor to a computer with USB-C[™] interface and DisplayPort alternate mode support. Thus, the adapter can be connected to different laptops like MacBook, Chromebook and similar. In addition, the adapter can also be operated on a Thunderbolt[™] 3 interface. Due to the small dimensions, the adapter is ideal as on the go companion.



Item no. 63941

EAN: 4043619639410 Country of origin: China Package: Retail Box

Technical details

- Connectors:
 1 x USB Type-C[™] male >
 - 1 x VGA 15 pin female
- Chipset: Realtek RTD2169U
- Resolution up to 1920 x 1080 @ 60 Hz (depending on the system and the connected hardware)
- USB bus powered
- Plug & Play
- Cable length without connectors: ca. 3 cm
- Colour: black

System requirements

- Android 6.0 or above
- Chrome OS
- iPad Pro (2018)
- Linux Kernel 4.3.3 or above



- Mac OS 10.13.3 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Windows 10 Mobile
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt[™] 3 port

Package content

• USB-C[™] to VGA adapter

Images







General

| Function: | Plug & Play |
|-----------------------------|---|
| Supported operating system: | Android 6.0 or above Chrome OS Linux Kernel 4.3.3 or above Mac OS 10.13.3 or above Windows 10 32-Bit Windows 10 64-Bit Windows 10 Mobile Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Pro (2018) |

Interface

| Output: | 1 x VGA 15 pin female |
|---------|-----------------------|
| Input: | 1 x USB Type-C™ male |

Technical characteristics

| Chipset: | Realtek RTD2169U VIA VL100 |
|----------------------------|-------------------------------|
| Maximum screen resolution: | 1920 x 1080 @ 60 Hz |
| Signal transmission: | video |

Physical characteristics

| Colour: |
|---------|
|---------|