

Delock 7 Port USB 3.2 Gen 2 Hub with 4 USB Type-A and 3 USB Type-C™ Ports

Description

The USB hub by Delock can be connected via USB Type-CTM interface to a PC or laptop. It has **four USB Type-A connectors** as well as **three USB Type-CTM connectors**. Different USB devices such as HDD docking station, card reader, external enclosure etc. can be connected.

Supports SuperSpeed USB 10 Gbps

A maximum data transfer rate of up to USB 3.2 Gen 2 - 10 Gbps can be reached.



Item no. 64209

EAN: 4043619642090 Country of origin: China Package: Retail Box

Technical details

- Connectors:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ female
 - 4 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) Type-A female
 - $3 \times \text{SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-CTM female}$
 - 1 x 5 V DC jack
- Data transfer rate up to:

SuperSpeed USB 10 Gbps,

SuperSpeed USB 5 Gbps,

Hi-Speed 480 Mbps,

Full-Speed 12 Mbps,

Low-Speed 1.5 Mbps

- LED indicator
- Power supply: Self-powered
- Electrical power per port:

USB Type-CTM: max. 10 watt (5 V / 2 A)

USB Type-A: max. 7.5 watt (5 V / 1.5 A)

- Dimensions (LxWxH): ca. 120 x 65 x 12 mm
- Colour: black
- Plug & Play





Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.6 A
- Output: 5 V / 4 A
- Ground outside, plus inside
- Dimensions:

inside: ø ca. 2.1 mm outside: ø ca. 5.5 mm length: ca. 10 mm

System requirements

- Mac OS 12.2.1 or above
- Windows 8.1/8.1-64/10/10-64/11
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Surface Pro 7
- Device with a free USB Type-C[™] port or with a free Thunderbolt[™] 3 port or
- Device with a free USB4™ port or with a free Thunderbolt™ 4 port

Package content

- Hub USB 3.2 Gen 2
- Cable USB-C™ male to USB-C™ male, length ca. 1 m
- Power supply
- User manual





Images







General

Supported operating system:

Surface Pro 7

Windows 10 32-Bit

Windows 8.1 32-Bit

Windows 8.1 64-Bit

iPad Pro (3rd Generation) or above
iPad Air (4th Generation) or above
Windows 11

Mac OS 12.2.1 or above

LED indicator:

1 x

Interface

Connector 1:	1 x USB 10 Gbps USB Type-C™ female
Connector 2:	4 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) Type-A female
connector 3:	3 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ female
connector 4:	1 x 5 V DC jack

Technical characteristics

Data transfer rate: 10 Gbps

Physical characteristics

Cable length: 1 m

Material: Plastic

Length: 120 mm

Width: 65 mm

Height: 12 mm

Colour: black

Power supply

Input: AC 100 - 240 V / 50 - 60 Hz / 0.6 A





Output:	5 V / 4 A
Connector:	DC male 5.5 mm x 2.1 mm