



Delock USB-C™, HDMI or mini DisplayPort to 4K HDMI Adapter Cable 1.8 m

Description

This adapter cable by Delock can be used to connect a projector or monitor with HDMI input to a laptop with HDMI, USB Type-C™ or mini DisplayPort interface.

Ideal for conference room

By using this cable solution, no additional adapter is required in the conference room. The corresponding connector can be used depending on the user's requirements. The adapter can also be used in classrooms or lecture theatres, where the tutor can simply connect the laptop to the appropriate port.

HDMI Ultra HD resolution

The HDMI output supports a maximum resolution of up to 3840 x 2160 pixels at 60 Hz, furthermore the audio signals can also be transmitted.



1,8 m

Item no. 85830

EAN: 4043619858309 Country of origin: China Package: Retail Box

Technical details

· Connectors:

Input:

1 x USB Type-C™ male

1 x HDMI-A male

1 x mini DisplayPort male

1 x USB Type Micro-B female (5 V power supply - DisplayPort and HDMI)

Output:

1 x HDMI-A male

- Chipset: ITE IT66351, IT6350E, IT6563FN, Realtek RTD2172U
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- · Transmission of audio and video signals
- · LED indicator for active port
- · Colour: black
- Cable length input: ca. 30 cm
- Cable length output: ca. 145 cm





System requirements

- Android 8.0 or above
- Chrome OS 72.0 or above
- iPad Pro (2018)
- Linux Kernel 4.3 or above
- Mac OS 10.9.5 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Device with a free USB Type-CTM port and DisplayPort alternate mode or with a free Thunderbolt™ 3 port or
- · A free HDMI female or
- A free mini DisplayPort female

Package content

- · Adapter cable
- USB power cable, length: ca. 0.5 m
- User manual

Images













General

Supported operating system: Android 8.0 or above

Chrome OS 72.0 or above Linux Kernel 4.3 or above Mac OS 10.9.5 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit

Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Pro (2018)

Interface

Output: 1 x HDMI-A male

Input: 1 x HDMI-A male

1 x mini DisplayPort 20 pin male

1 x USB Type-CTM male

Technical characteristics

Maximum screen resolution: 3840 x 2160 @ 60 Hz

Physical characteristics

Cable length: input: ca. 30 cm

output: ca. 145 cm

Colour: black