



# Delock USB Type-C<sup>™</sup> Docking Station for Mobile Devices 4K - HDMI / Hub / SD / PD 2.0

# **Description**

This docking station by Delock can be connected to a mobile device with a USB-C<sup>TM</sup> DP Alt Mode or Thunderbolt<sup>TM</sup> 3 port and provides a variety of interfaces. One monitor can be operated at the **HDMI** output. Three built-in **USB** ports allow the use of peripherals, as well as an **SD** / **micro SD** card reader, complete the features.

## USB Power Delivery (USB PD 2.0) support up to 87 watt

The docking station has a **USB Type-C<sup>TM</sup> Power Delivery port** to connect the power supply of the laptop or tablet to charge it. In addition it also supplies the USB ports with power. The docking station can also be used without a power supply.

#### **LED** illumination

An internal blue **LED** illumination ensures that the ports can also be found in the dark.

## Small sturdy helper

Due to its **small dimensions** and its **sturdy housing**, this Delock docking station is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.



#### Item no. 87743

EAN: 4043619877430 Country of origin: China Package: Retail Box

## **Technical details**

- Connectors:
  - 1 x USB 5 Gbps USB Type-C™ male
  - 1 x USB 5 Gbps Type-A female
  - 2 x USB 2.0 Type-A female
  - 1 x SD / SDHC / SDXC slot
  - 1 x Micro SD / SDHC / SDXC slot
  - 1 x HDMI-A female
  - 1 x USB 5 Gbps USB Type-C<sup>TM</sup> female (power supply)
- Resolution up to 3840 x 2160 @ 30 Hz
   (depending on the system and the connected hardware)

# **DATASHEET**



- · Transmission of audio and video signals
- Input power: 1 x USB 5 Gbps USB Type-C<sup>™</sup> female max. 87 W
- It can only be used one memory card, not both at the same time
- Compatible with Samsung Dex
- · Metal housing
- LED illumination
- Cable length without connectors: ca. 15 cm
- Colour: grey
- Dimensions (LxWxH): ca. 109 x 40 x 12 mm

# System requirements

- Linux Kernel 4.6 or above
- Mac OS 10.14 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- Windows 10 Mobile
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- iPhone 15 Pro or above
- Device with a free USB Type-C<sup>™</sup> port and DisplayPort alternate mode or with a free Thunderbolt<sup>™</sup> 3 port

# Package content

- USB-CTM docking station
- User manual

# **Images**













#### General

Supported operating system: Linux Kernel 4.6 or above

Mac OS 10.14 or above

Windows 10 32-Bit
Windows 10 64-Bit
Windows 10 Mobile
Windows 7 32-Bit
Windows 7 64-Bit
Windows 8.1 32-Bit
Windows 8.1 64-Bit

## Interface

connector: 1 x USB Type-C™ male

1 x USB Type-C™ female

1 x HDMI-A female

1 x USB 5 Gbps Type-A female 2 x USB 2.0 Type-A female

1 x SD slot

1 x Micro SD Slot

## **Technical characteristics**

Maximum screen resolution: 3840 x 2160 @ 30 Hz

# **Physical characteristics**

Housing material: metal

Cable length: 15 cm

Colour: grey