

Delock USB Type-C™ Card Reader for SD Express (SD 7.1) memory cards

Description

The card reader by Delock can be used for reading and writing **SD Express memory cards**. The card reader can be connected to a PC or laptop via the **USB Type-C™** interface.

SD Express slot

The SD Express slot allows to read and write SD Express memory cards. **SD, SDHC and SDXC** memory cards with UHS-I and UHS-II can also be used.



Item no. 91006

EAN: 4043619910069

Country of origin: Taiwan,
Republic of China

Package: Retail Box

Technical details

- Connectors:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ male
 - 1 x SD Express slot
- Supports NVM Express (NVMe)
- Supports S.M.A.R.T.
- Data transfer rate up to 10 Gbps
- Supports SD 3.0 (UHS-I), SD 4.0 (UHS-II), SD 5.1 (UHS-II V90), SD 7.1
- Supports UASP
- Bootable
- Housing material: aluminium
- Dimensions without cable (LxWxH): ca. 45 x 41 x 9 mm
- Colour: grey
- Plug & Play

System requirements

- Android 10.0 or above

- Chrome OS
- Linux Kernel 5.11 or above
- Mac OS 11.2.3 or above
- Windows 8.1/8.1-64/10/10-64/11
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Surface Pro 7
- PC or laptop with a free USB Type-C™ or Thunderbolt™ 3 port

Package content

- Card reader USB Type-C™ to SD Express
- Cable USB-C™ male to USB-C™ male, length ca. 30 cm
- User manual

Images



General

| | |
|-----------------------------|---|
| Function: | NVM Express (NVMe) Hot Plug bootable S.M.A.R.T. |
| Supported operating system: | Chrome OS Surface Pro 7 Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Android 10.0 or above iPad Pro (3rd Generation) or above iPad Air (4th Generation) or above Mac OS 11.2.3 or above Windows 11 Linux Kernel 5.11 or above |
| Slot: | PCIe |
| Supported memory card: | SD SDHC SDXC SD UHS-I SD UHS-II SD 3.0 UHS-I SDHC Ultra SDHC UHS-I SDHC UHS-II SDXC UHS-I SDXC UHS-II SD Express |

Interface

| | |
|--------------|----------------------------------|
| Connector 1: | 1 x USB 10 Gbps USB Type-C™ male |
| Connector 2: | 1 x SD Express slot |

Technical characteristics

| | |
|---------------------|---------|
| Data transfer rate: | 10 Gbps |
|---------------------|---------|

Physical characteristics

| | |
|-------------------|-----------|
| Housing material: | Aluminium |
| Cable length: | 30 cm |
| Length: | 45 mm |
| Width: | 41 mm |
| Height: | 9 mm |
| Colour: | grey |