

Delock USB Type-C™ Card Reader for SD and CFexpress type B memory cards

Description

The card reader by Delock can be used for reading and writing of **SD** and **CFexpress memory cards**. The card reader can be connected to a PC or a mobile device via the USB interface.



Due to the specially designed adapter, the Delock card reader can be quickly and easily connected to the **USB Type-A** socket. Thus, it can be easily connected to new devices with **USB Type-CTM** female and older devices that only have a USB Type-A connector. The adapter is located directly on the cable and therefore it cannot be lost.

Small, stable and handy

Due to its **small dimensions and its sturdy housing**, this Delock card reader is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.



Item no. 91011

EAN: 4043619910113 Country of origin: China Package: Retail Box

Technical details

- · Connectors:
 - 1 x USB 10 Gbps USB Type-C™ female
 - 1 x SD slot
 - 1 x CFexpress 2.0 slot type B
- Push to push CFexpress socket
- Data transfer rate up to 10 Gbps
- Supports SD 3.0 (UHS-I), SD 4.0 (UHS-II), SD 5.1 (UHS-II V90)
- Supports NVM Express (NVMe)
- Bootable
- 2 x LED indicator for power and access
- It can only be used one memory card, not both at the same time
- · Colour: grey
- Plug & Play
- Dimensions (LxWxH): ca. 70 x 50 x 13 mm



System requirements

- Android 13.0 or above
- Chrome OS
- Linux Kernel 5.19 or above
- Mac OS 12.4 or above
- Windows 10/10-64/11
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Surface Pro 7
- Device with a free USB Type-C[™] port or with a free Thunderbolt[™] 3 or Thunderbolt[™] 4 port or
- A free USB Type-A port

Package content

- Card reader USB Type-CTM to SD / CFexpress
- Cable USB-CTM male to USB-CTM male (with adapter to USB Type-A male), length ca. 15 cm
- User manual

Images















General

Function:	Plug & Play bootable
Supported operating system:	Chrome OS Surface Pro 7 Windows 10 32-Bit Windows 10 64-Bit iPad Pro (3rd Generation) or above iPad Air (4th Generation) or above Windows 11 Mac OS 12.4 oder höher Android 13.0 or above Linux Kernel 5.19 or above
LED indicator:	2 x
Supported memory card:	SD SDHC SDXC SDXC SD UHS-I SD UHS-II SDHC UHS-II SDHC UHS-II SDXC UHS-II SDXC UHS-II CFexpress type B

Interface

Connector 1:	1 x USB 10 Gbps USB Type-C™ female
Connector 2:	1 x CFexpress 2.0 slot type B
connector 3:	1 x SD slot

Technical characteristics

Data transfer rate: 10 Gbps

Physical characteristics

Housing material:	Aluminium
-------------------	-----------





Length:	70 mm
Width:	50 mm
Height:	13 mm
Colour:	grey