



Delock SuperSpeed USB Card Reader for SD / Micro SD / MS memory cards

Description

This card reader by Delock has three memory card slots and allows to read and write many different memory cards. The card reader can be connected to a PC or laptop via the USB Type-A interface.



Item no. 91757

EAN: 4043619917570 Country of origin: China Package: Retail Box

Technical details

- Connectors:
 - 1 x SuperSpeed USB (USB 3.2 Gen 1) Type-A male >
 - 1 x SD / MMC slot
 - 1 x MS slot
 - 1 x Micro SD / M2 slot
- Data transfer rate up to:
- SuperSpeed USB 5 Gbps,
- Hi-Speed 480 Mbps,
- Full-Speed 12 Mbps,
- Low-Speed 1.5 Mbps
- Display two drive letters at the same time (SD and micro SD / M2 slots must be used separately)
- 1 x LED indicator
- Dimensions (LxWxH): ca. 69 x 19 x 11 mm
- · Hot Swap, Plug & Play
- Supports following memory cards:

Slot 1

SD, SD3.0 UHS-I, SD High Capacity (SDHC), SD Ultra, SDHC Ultra, SDXC,

DATASHEET



MMC-I, MMC-II, MMC 4.0, Mini SD, Mini SDHC, MMCmobile, RS-MMC, RS-MMC 4.0

Slot 2

MS, High Speed Memory Stick (HS-MS), MS Pro, MS Pro-HG, MS-Pro Duo, MS-HG, Memory Stick XC, MS Magic Gate, MS-Pro Magic Gate, MS-Duo, MS-Duo Magic Gate, MS Pro-HG Duo, MS-Duo, MS XC-Duo, MS XC-HG Duo

Slot 3

Micro SD, Micro SD3.0 UHS-I, Micro SD4.0 UHS-II, Micro SDHC, Micro SDXC, T-Flash, MMCmicro, MS Micro, MS-Pro Micro, MS-HG Micro, MS XC-HG Micro, M2

System requirements

- Chrome OS
- Linux Kernel 5.8 or above
- Mac OS 11.2.3 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-A port

Package content

- USB Card Reader
- User manual





Images















General

Supported operating system: Chrome OS

Linux Kernel 5.8.0 or above

Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Mac OS 11.2.3 or above

DATASHEET



Supported memory card: Micro SD

Micro SDHC Micro SDXC MS Micro

SD SDHC SDXC

Micro SD UHS-I Micro SD UHS-II

RS-MMC

MS

MS Pro

MS PRO-HG

MS Duo

MS Pro MagicGate

MS PRO Duo

MS PRO-HG Duo

MS XC-HG Duo

MS XC Duo

MMC-I

MMC-II

MMC 4.0

RS-MMC 4.0

MS PRO-HG Micro

M2

MS MG Pro Duo

HS MS Pro Duo

SD 3.0 UHS-I

SD Ultra

SDHC Ultra

Mini SD

Mini SDHC

Mini SDXC

MMC Mobile





Interface

Connector 1:	1 x USB 5 Gbps Type-A male
Connector 2:	1 x MS slot 1 x Micro SD Slot 1 x SD slot

Technical characteristics

Data transfer rate: 5 Gbps